

SECTION 1 - PRODUCT IDENTIFICATION

Product identifier/Trade name: DEOXIT LIQUID 100%

Product code/Internal Identification: D100L

Product use/Description: Cleaner in 59 mL container.

Product chemical name: N/Ap Chemical family: N/Ap

MSDS preparation/review date: May 02, 2013

Supplier identifier: Asalco Inc.

44, ch. Des Ursulines, Stanstead, Ouébec (Canada), J0B 3E0

Telephone 819-876-2211 Fax 819-876-5373 Internet <u>www.asalco.com</u>

Emergency phone number: (613) 996-6666 (CANUTEC)

Manufacturer identifier: CAIG Laboratories, Inc.

12200 Thatcher Court, Poway, CA 92064-6876

Emergency phone number: Same as supplier **WHMIS Classification:** Not Controlled

SECTION 2 - CHEMICAL COMPOSITION / HAZARDOUS INGREDIENTS

Hazardous Ingredients CAS # % (weight) LD₅₀ (route, specie) LC₅₀ (specie) Deoxit® N/Av 100 N/Av N/Av

SECTION 3 - HAZARDS IDENTIFICATION

Emergency Overview

May cause eye and skin irritation.

POTENTIAL HEALTH EFFECTS (for more details, refer to Section 11)

Primary entry route(s): Skin, eye, ingestion and inhalation. **Effects of short-term (acute) and long-term (chronic) exposure:**

Inhalation:

May cause irritation to the nose, throat and respiratory tract, and central nervous system depression. Symptoms may include headache, nausea, vomiting, loss of coordination and other central nervous system effects.

Skin:

Direct skin contact may cause moderate irritation. Prolonged or repeated contact may cause drying, cracking and defatting of the skin (dermatitis).

Eve:

Direct eye contact may cause moderate eye irritation.

Ingestion:

May cause irritation to the mouth, throat and stomach. Symptoms may include dizziness, drowsiness, nausea, headache and other central nervous system effects. Product may present an aspiration hazard, and cause life-threatening lung injury following ingestion.

SECTION 4 - FIRST AID MEASURES

Inhalation:

Remove source of contamination or have victim move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Obtain medical attention immediately.

Skin contact:

Flush contaminated area with lukewarm, gently running water for at least 20 minutes. If irritation persists, obtain medical advice.

Eye contact:

Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for at least 20 minutes. Obtain medica attention immediately.

Ingestion:

NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. DO NOT INDUCE VOMITING. Have victim drink two glasses of water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Repeat administration of water. Obtain medical attention immediately.



SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability: Does not burn under normal handling conditions.

Flash point (Method): > 250°C

Lower flammable limit (% by volume): N/Av
Upper flammable limit (% by volume): N/Av
Sensitivity to mechanical impact: N/Av
Sensitivity to static discharge: N/Av

Auto-ignition temperature: N/Av **Suitable extinguishing media:**

Carbon dioxide, dry chemical powder and appropriate foam.

Special fire-fighting procedures/equipment:

During a fire, irritating/toxic smoke and fumes may be generated. Vapours can accumulate in confined spaces, resulting in a toxicity and flammability hazard. A self-contained breathing apparatus is required for fire-fighting personnel to protect themselves from toxic products produced during the combustion. Closed containers may explode with the pressure building from the heat. Use water to cool fire exposed containers and prevent this situation.

Hazardous combustion products:

Carbon monoxide, Carbon dioxide and other irritant gases, which may include toxic constituents.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Remove all ignition sources. Remove or isolate flammable and combustible materials. Wear adequate personal protective equipment (See Section 8). Ventilate area.

Spill response/Cleanup:

Stop the flow if it can be done safely. Keep materials which can burn away from spilled material. Prevent material from entering waterways, sewers or confined spaces. Put material in suitable, covered, labelled containers.

Environmental precautions:

Confine spill, preventing it from entering sewer lines or waterways. Dispose of as per local, state and federal regulations.

SECTION 7 - HANDLING AND STORAGE

Safe handling procedures:

Before handling, it is very important that engineering controls are operating and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Do not use near welding operations, flames or hot surfaces. Ensure proper ventilation after sealed area has been treated. Inspect containers for leaks before handling. Label containers appropriately. Keep containers closed when no in use. Empty containers are always dangerous. Assume that empty containers contain residues which are hazardous. Do not use with incompatible materials.

Storage requirements:

Store in a cool (15°C-35°C), dry, well-ventilated area, away from heat and ignition sources. Keep storage area clear of ignition sources. Store away from incompatible materials. Inspect all incoming containers to make sure they are properly labelled and not damaged. Store in suitable, labelled containers. Keep containers tightly closed. Empty containers are always dangerous Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.



SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering controls:

None required under normal handling conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits.

Respiratory Protection:

None required under normal handling conditions. Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirator if the exposure limits are unknown.

Protective Clothing/Equipment:

If necessary, wear chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact. Wear protective chemical safety glasses to prevent prolonged or repeated eye contact. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Comments:

Avoid contact with skin and eyes. Avoid breathing this product. Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state, colour and odour: Light red liquid with hydrocarbon odour.

Odour threshold: N/Av

pH: N/Av Boiling point: > 220 °C

Melting/freezing point: N/Av **Vapour pressure:** < 0.01 mm Hg @ 20°C

Coefficient of oil/water distribution: N/Av Solubility in water: Insoluble Specific gravity or density (water = 1): 0.72 Vapour density (Air = 1): Heavier than air

Evaporation rate (n-Butyl acetate = 1): N/Av % volatile by volume: N/Av

SECTION 10 - REACTIVITY AND STABILITY DATA

Stability and reactivity: Stable at room temperature, in normal handling and storage conditions.

Polymerisation: Hazardous polymerisation will not occur.

Conditions to avoid: Avoid STRONG OXIDIZING AGENTS. Keep away from ignition sources.

Materials to avoid: Avoid STRONG OXIDIZING AGENTS.

Hazardous decomposition products: None

SECTION 11 - TOXICOLOGICAL INFORMATION

Exposure limits: N/Av for the product.

Ingredient	OSHA PEL		ACGIH TLV		Other exposure limits
	TWA	STEL	TWA	STEL	
Deoxit®	N/Av	N/Av	N/Av	N/Av	N/Av

For more details, refer to Section 3.

Carcinogenicity: No ingredient is listed by IARC, ACGIH, NTP or OSHA as a carcinogen.

Teratogenicity, mutagenicity, other reproductive effects: N/Av

Skin sensitization: Possible skin sensitizer.

Respiratory tract sensitization: N/Av **Synergistic materials:** N/Av

SECTION 12 - ECOLOGICAL INFORMATION

Environmental effects: N/Av

Important environmental characteristics: N/Av

Aquatic toxicity: N/Av



SECTION 13 - WASTE DISPOSAL

Handling and storage conditions for disposal:

Store material for disposal as indicated in Handling and Storage (Section 7).

Methods of disposal:

Review federal, provincial and local government requirements prior to disposal.

SECTION 14 - TRANSPORTATION INFORMATION

Transportation of Dangerous Goods (TDG):

Shipping description: This product is not regulated according to TDG.

Special case: N/Ap

SECTION 15 - REGULATORY INFORMATION

In Canada

WHMIS information:

Product is not regulated according to the Controlled Product Regulation (CPR) in Canada.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

Hazardous Materials Identification System (HMIS):

HEALTH: 0 FLAMMABILITY: 0 REACTIVITY: 0 PERSONAL PROTECTION: Section 8.

HAZARD: 0 Minimal 1 Slight 2 Moderate 3 Serious 4 Severe

National Fire Protection Association (NFPA):

HEALTH: 0 FLAMMABILITY: 0 REACTIVITY: 0 PERSONAL PROTECTION: Section 8.

HAZARD: 0 Minimal 1 Slight 2 Moderate 3 Serious 4 Severe

SECTION 16 - OTHER INFORMATION

Prepared by: NSS ENTREPRISE INC. for Asalco Inc.

Telephone number: Telephone 819-876-2211 Fax 819-876-5373 Internet www.asalco.com

References:

- 1. Material Safety Data Sheets from manufacturer/supplier.
- 2. CSST, Répertoire Toxicologique, Les produits, 2013.
- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2013.

Abbreviations:

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstract Service

CFR Code of Federal Regulations (Transportation in U.S.A.)

DOT Department of Transport (U.S.A.)

DSL Domestic Substance List

IARC International Agency for Research on Cancer

LC Lethal concentration LD Lethal Dosage

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit
STEL Short-term Exposure Limit
TLV Threshold Limit Value
TSCA Toxic Substances Control Act
TWA Time Weighted Average

USEPA United States Environmental Protection Agency
WHMIS Workplace Hazardous Materials Information System

End of the MSDS